Product End of Life Instructions


Easypact D3N 3P contactor,50A







End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1, 3, 4, 5	PC, ABS-PC, PA, PA6, HDPE, SAN with brominates flame retardants	303.78	
To be depolluted	2	Other plastic parts with brominates flame retardants	2.17	

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	SCHNEIDER ELECTRIC	
Product function	The main purpose of the product is to switch on and off electrical power supply of a downstream installation with an electrical and/or mechanical control.	
Product reference	LC1N50M5N	
Total representative product mass	980 g	
Representative product dimensions	127mm x 75mm x 114mm	
Accessories	No	
Date of information release	11/2022	

(19) Additional information

Legal information

This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

In case of special transportation: transportation method

No

Recyclability potential

78%

Based on "ECO'DEEE recyclability and recoverability calculation method" (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323

F- 92506 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 896 313 776 €

www.schneider-electric.com

Published by Schneider Electric

ENVEOLI2209010_V1 © 2019 - Schneider Electric - All rights reserved

11/2022